

COLOR AVAILABILITY CHART 2026



PROFILES	MAC COLOR CODE	PAINT CODE	MS 1 & MS 2, MS MOD. & MS AUT	MS 3 & MS 4	POLYMAC*	POLYMAC AXES	BOARD AND BATTEN & REVERSE BB	VERSA & METAL BLOCK	VERSA AXES	FLUTED PANEL	HARRYWOOD PLUS BLOCK	HARRYWOOD PLUS	NORWOOD	NORWOOD MINI	CORRUGATED (MS 380)	MS 750 & MS 750 I	FLAT ROLLS
WOOD Collection, TEXTURAL IV																	
(PAINT SYSTEM BASED OF PVDF - POLYVINYLIDENE FLUORIDE)																	
Torrefied	301	MHQC 1700	X	X	22-24 g	X	26 g	X	X	26 g	X	24-26 g	24-26 g	26 g	X	X	16", 26 g
Cedar	302	MHQC 1750	X	X	22-24 g	X	26 g	X	X	26 g	X	24-26 g	24-26 g	26 g	X	X	16", 26 g
Black Walnut	303	MHQC 1710	X	X	x	X	26 g	X	X	26 g	X	24-26 g	24-26 g	26 g	X	X	16", 26 g
Smoked Birch	304	MHQC 1720	X	X	22-24 g	X	26 g	X	X	26 g	X	24-26 g	24-26 g	26 g	X	X	16", 26 g
Ash Grey	305	MHQC 1740	X	X	x	X	26 g	X	X	26 g	X	24-26 g	24-26 g	26 g	X	X	16", 26 g
Scandinavian Fir	306	MHQC 1730	X	X	x	X	26 g	X	X	26 g	X	24-26 g	24-26 g	26 g	X	X	16", 26 g
Teak	310	MHQC 1760	X	X	22-24 g	X	26 g	X	X	26 g	X	24-26 g	24-26 g	26 g	X	X	16", 26 g
White Oak	312	MHQC 1770	X	X	22-24 g	X	26 g	X	X	26 g	X	24-26 g	24-26 g	26 g	X	X	16", 26 g
Cork	313	MHQC 1780	X	X	22-24 g	X	26 g	X	X	26 g	X	24-26 g	24-26 g	26 g	X	X	16", 26 g
SIGNATURE Collection, TEXTURAL IV																	
(PAINT SYSTEM BASED OF PVDF- POLYVINYLIDENE FLUORIDE)																	
Anthracite	202	MHQC 1550	24-26 g	26 g	22-24 g	22 g	X	24 g	22-24 g	X	24 g	24 g	24 g	24 g	24-26 g	24-26 g	24", 24-26 g
Brushed Zinc	203	MHQC 1800	24-26 g	26 g	22-24 g	22 g	X	24 g	22-24 g	X	24 g	24 g	24 g	24 g	24-26 g	24-26 g	24", 24-26 g
Smoky Quartz	204	MHQC 1850	24-26 g	26 g	22-24 g	22 g	X	24 g	22-24 g	X	24 g	24 g	24 g	24 g	24-26 g	24-26 g	24", 24-26 g
Copper Bronze	205	MHQC 1525	24-26 g	24 g	22-24 g	22 g	X	24 g	22-24 g	X	24 g	24 g	24 g	24 g	24-26 g	24-26 g	24", 24-26 g
INSPIRATION Collection, TEXTURAL IV																	
(PAINT SYSTEM BASED OF PVDF- POLYVINYLIDENE FLUORIDE)																	
Titanium White	101	MHQC 2015	24-26 g	26 g	22-24 g	22 g	26 g	24 g	22-24 g	26 g	26-24 g	24-26 g	24-26 g	24 g	24-26 g	24-26 g	24", 24-26 g
INSPIRATION Collection, TEXTURAL II																	
(PAINT SYSTEM BASED OF SPM)																	
Titanium Black	102	MHQC 1964	24-26 g	26 g	22-24 g	22 g	26 g	24 g	22-24 g	26 g	24-26 g	24-26 g	24-26 g	24 g	24-26 g	24-26 g	24", 24-26 g
INSPIRATION Collection, TEXTURAL III																	
(PAINT SYSTEM BASED OF POLYURETHANE)																	
Metallic Grey	103	MHQC 1900	24-26 g	26 g	22-24 g	22 g	X	24 g	22-24 g	X	24 g	24 g	24 g	24 g	24-26 g	24-26 g	24", 24-26 g
Metallic Copper	104	MHQC 800	24 g	x	22 g	22 g	X	24 g	22-24 g	X	X	X	X	X	24 g	24 g	24", 24 g
Slate Grey	105	MHQC 969	24-26 g	26 g	22 g	22 g	X	X	X	X	X	X	X	X	24-26 g	24-26 g	24", 24-26 g
Charcoal Grey	106	MHQC 8306	24-26 g	26 g	22 g	22 g	X	X	X	X	X	X	X	X	24-26 g	24-26 g	24", 24-26 g
Bright Red	107	MHQC 8386	24 g	X	X	X	X	24 g	X	X	X	X	X	X	24 g	24 g	24", 24 g
Autumn Blue	108	MHQC 970	24-26 g	26 g	22 g	22 g	X	X	X	X	X	X	X	X	24-26 g	24-26 g	24", 24-26 g
Sandstone Red	109	MHQC 965	24-26 g	26 g	X	X	X	X	X	X	X	X	X	X	24-26 g	24-26 g	24", 24-26 g
English Green	110	MHQC 966	24-26 g	26 g	X	X	X	X	X	X	X	X	X	X	24-26 g	24-26 g	24", 24-26 g
Dark Brown	111	MHQC 2290	24-26 g	26 g	X	X	X	X	X	X	X	X	X	X	24-26 g	24-26 g	24", 24-26 g
Onyx Black 112	112	MHQC 964	24-26 g	26 g	X	X	X	24 g	22-24 g	X	X	X	X	X	24-26 g	24-26 g	24", 24-26 g

ADDITIONAL DETAILS |

- ▶ Norwood Mini in Wood collection colors is only available in 26 g. If you wish to combine it with Norwood 24 g, you must order both at the same time, specifying your requirements to customer service. The clip will need to be adjusted during production to facilitate installation of both thicknesses together.
- ▶ 22 gauge, available on request depending on profile. Minimum quantity required, additional production lead times, an average of 12 weeks, are to be expected.
- ▶ Coastal paint system is available upon request with additional charges. A project submission form must be completed and submitted for review to determine eligibility for the 20 year warranty coverage.
- ▶ Wood Collection available in 24-gauge upon request, additional delivery times to be considered.
- ▶ Galvalume, non-paint, 24 gauge available upon request, additional production lead times are to be considered.

MINIMUM SLOPES FOR ROOFING BY PAINT SYSTEM |

TEXTURAL II, TEXTURAL III & TEXTURAL IV

For pre-painted steel roof profiles using the paint systems TEXTURAL II (SPM based paint system), TEXTURAL III (polyurethane based paint system) or TEXTURAL IV (PVDF – Poly vinylidene Fluoride based paint system), a minimum roof angle of 5 degree must be maintained with proper drainage to eliminate any potential for standing water, as this will void any warranties for these applications.



FOR INFORMATION |

5 degrees of slope = 8.80% of slope
 15 degrees of slope = 26.79% of slope

A minimum slope of 5° is required in relation to the warranty (appearance of the paint) and not with the sealing of the system for the roof profiles MS Authentic, MS1, MS2 MS3 & MS4.

SLOPE	POURCENTAGE	ANGLE
1:12	8,3%	4.74°
2:12	16,7%	9.48°
3:12	25%	14,4°
4:12	33,3%	18.42°